## SEQUENCE LISTING

```
<110> Manners, John M.
      Marcus, John Paul
      Goulter, Kenneth C.
      Green, Jodie Lyn
      Harrison, Stuart John
<120> ANTI-MICROBIAL PROTEIN
<130> CULLN18.1CP1C1
<150> 09/364395
<151> 1999-07-30
<150> 09/117615
<151> 1998-11-09
<150> PCT/AU97/00052
<151> 1997-01-31
<150> AU PN 7802
<151> 1996-01-31
<160> 21
<170> FastSEQ for Windows Version 4.0
<210> 1
<211> 102
<212> PRT
<213> Macadamia integrifolia
Met Ala Ser Thr Lys Leu Phe Phe Ser Val Ile Thr Val Met Met Leu
                                     10
Ile Ala Met Ala Ser Glu Met Val Asn Gly Ser Ala Phe Thr Val Trp
                                 25
Ser Gly Pro Gly Cys Asn Asn Arg Ala Glu Arg Tyr Ser Lys Cys Gly
                            40
Cys Ser Ala Ile His Gln Lys Gly Gly Tyr Asp Phe Ser Tyr Thr Gly
Gln Thr Ala Ala Leu Tyr Asn Gln Ala Gly Cys Ser Gly Val Ala His
                                        75
                    70
Thr Arg Phe Gly Ser Ser Ala Arg Ala Cys Asn Pro Phe Gly Trp Lys
Ser Ile Phe Ile Gln Cys
            100
<210> 2
<211> 493
<212> DNA
<213> Macadamia integrifolia
<220>
<221> CDS
```

<222> (70)(375) <223> y=t or c.				
<pre>&lt;400&gt; 2 attaagtctt tgagtctcat acatactctt ctcctcccca ccattagcac ttatcagcta acctcagcc atg gct tcc acc aag ttg ttc ttc tca gtc att act gtg atg</pre>				
atg ctc ata gca atg gca agt gag atg gtg aat ggg agt gca ttt aca Met Leu Ile Ala Met Ala Ser Glu Met Val Asn Gly Ser Ala Phe Thr 15 20 25 30	159			
gta tgg agt ggt cca ggt tgt aac aac cgt gct gag cga tat agc aag Val Trp Ser Gly Pro Gly Cys Asn Asn Arg Ala Glu Arg Tyr Ser Lys 35 40 45	207			
tgt gga tgc tca gct ata cat cag aag gga ggc tat gac ttc agc tac Cys Gly Cys Ser Ala Ile His Gln Lys Gly Gly Tyr Asp Phe Ser Tyr 50 55 60	255			
act gga caa act gct gct ctc tac aac cag gct gga tgc agt ggt gtt Thr Gly Gln Thr Ala Ala Leu Tyr Asn Gln Ala Gly Cys Ser Gly Val 65 70 75	303			
gca cac acc agg ttt ggg tcc agt gcc agg gca tgc aac cct ttt ggt Ala His Thr Arg Phe Gly Ser Ser Ala Arg Ala Cys Asn Pro Phe Gly 80 85 90	351			
tgg aag agt atc ttc atc caa tgc tagatttcat aactcttgga tccatcttct Trp Lys Ser Ile Phe Ile Gln Cys 95 100	405			
atgtttttca agtgtataat tagagagatg catggatata taataaataa gtaaaagcta cggtatcacc atgtgatgat tttyaccc				
<210> 3 <211> 19 <212> DNA <213> Artificial Sequence				
<220> <223> Degenerate primer alpha.				
<400> 3 ccgaagcagt tgcabgcbc				
<210> 4 <211> 20 <212> DNA <213> Artificial Sequence				
<220> <223> Degenerate primer beta.				
<400> 4 gagmgktatw skaagtgtgg				

```
<210> 5
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> 3' RACE primer alpha.
<400> 5
                                                                           20
tgctctctac aaccaggctg
<210> 6
<211> 19
<212> DNA
<213> Artificial Sequence
<220>
<223> 5' RACE primer beta.
<400> 6
                                                                           19
gcattggatg aagatactc
<210> 7
<211> 36
<212> DNA
<213> Artificial Sequence
<223> 5' RACE primer to anneal with poly-C-tailed cDNA
      primer alpha.
<221> misc feature
<222> (0)...(0)
\langle 223 \rangle n = inosine
                                                                           36
ggccacgcgt cgactagtac gggnngggnn gggnng
<210> 8
<211> 20
<212> DNA
<213> Artificial Sequence
<220>
<223> Mi28K primer. Mismatched oligonucleotide
      containing a mutation of the MiAMP1 coding
      sequence from amino acid Q(position 28) to K.
<400> 8
                                                                           20
gctatacata aaaagggagg
<210> 9
<211> 20
<212> DNA
<213> Artificial Sequence
```

<220> <223>	Mi39K primer. Mismatched oligonucleotide containing a mutation of the MiAMP1 coding sequence from amino acid Q(position 39) to K.	
<400> tacact		20
<210> <211> <212> <213>	24	
<220> <223>	Mi46K primer. Mismatched oligonucleotide containing a mutation of the MiAMP1 coding sequence from amino acid Q(position 46) to K.	
<400> gcatco		24
<210> <211> <212> <213>	24	
<220> <223>	Mi54V primer. Mismatched oligonucleotide containing a mutation of the MiAMP1 coding sequence from amino acid H(position 54) to V.	
<400> ggtgti	11 cgcag tgaccaggtt tggg	24
<210><211><211><212><213>	24	
<220> <223>	Mi54K primer. Mismatched oligonucleotide containing a mutation of the MiAMP1 coding sequence from amino acid H(position 54) to K.	
<400> ggtgt	12 tgcaa aaaccaggtt tggg	24
<210><211><211><212><213>	31	
<220> <223>	Oligonucleotide primer from the 5' coding region of MiAMP1 (Mil primer).	
<400>	13	

35

```
acaccatatg agtgcattta cagtatgagt g
<210> 14
<211> 35
<212> DNA
<213> Artificial Sequence
<220>
<223> Oligonucleotide primer from the 3' coding region
      of MiAMP1 (Mi2 primer).
<400> 14
gaagagtatc ttcatccaat gctaaggatc cacac
<210> 15
<211> 76
<212> PRT
<213> Artificial Sequence
<220>
<223> Mi28K variant. Variant MiAMP1 protein Mi28K
      containing a Lysine at amino acid 28 (used primer
      from SEQ ID NO:8 to produce).
<400> 15
Ser Ala Phe Thr Val Trp Ser Gly Pro Gly Cys Asn Asn Arg Ala Glu
                                     10
                 5
Arg Tyr Ser Lys Cys Gly Cys Ser Ala Ile His Lys Lys Gly Gly Tyr
                                 25
            20
Asp Phe Ser Tyr Thr Gly Gln Thr Ala Ala Leu Tyr Asn Gln Ala Gly
                             40
Cys Ser Gly Val Ala His Thr Arg Phe Gly Ser Ser Ala Arg Ala Cys
                         55
Asn Pro Phe Gly Trp Lys Ser Ile Phe Ile Gln Cys
                    70
<210> 16
<211> 76
<212> PRT
<213> Artificial Sequence
<220>
<223> Mi39K variant. Variant MiAMP1 protein Mi39K
      containing a Lysine at amino acid 39 (used primer
      from SEQ ID NO:9 to produce).
<400> 16
Ser Ala Phe Thr Val Trp Ser Gly Pro Gly Cys Asn Asn Arg Ala Glu
                  5
                                     10
Arg Tyr Ser Lys Cys Gly Cys Ser Ala Ile His Gln Lys Gly Gly Tyr
                                 25
Asp Phe Ser Tyr Thr Gly Lys Thr Ala Ala Leu Tyr Asn Gln Ala Gly
                             40
Cys Ser Gly Val Ala His Thr Arg Phe Gly Ser Ser Ala Arg Ala Cys
```

50 55 60
Asn Pro Phe Gly Trp Lys Ser Ile Phe Ile Gln Cys
65 70 75

```
<210> 17
<211> 76
<212> PRT
<213> Artificial Sequence
<220>
<223> Mi46K variant. Variant MiAMP1 protein Mi46K
      containing a Lysine at amino acid 46 (used primer
      from SEQ ID NO:10 to produce).
<400> 17
Ser Ala Phe Thr Val Trp Ser Gly Pro Gly Cys Asn Asn Arg Ala Glu
                                    10
Arg Tyr Ser Lys Cys Gly Cys Ser Ala Ile His Gln Lys Gly Gly Tyr
                                25
Asp Phe Ser Tyr Thr Gly Gln Thr Ala Ala Leu Tyr Asn Lys Ala Gly
Cys Ser Gly Val Ala His Thr Arg Phe Gly Ser Ser Ala Arg Ala Cys
Asn Pro Phe Gly Trp Lys Ser Ile Phe Ile Gln Cys
                    70
<210> 18
<211> 76
<212> PRT
<213> Artificial Sequence
<220>
<223> Mi54V variant. Variant MiAMP1 protein Mi54V
      containing a Valine at amino acid 54 (used primer
      from SEQ ID NO:11 to produce).
<400> 18
Ser Ala Phe Thr Val Trp Ser Gly Pro Gly Cys Asn Asn Arg Ala Glu
                                     10
1
                 5
Arg Tyr Ser Lys Cys Gly Cys Ser Ala Ile His Gln Lys Gly Gly Tyr
                                25
Asp Phe Ser Tyr Thr Gly Gln Thr Ala Ala Leu Tyr Asn Gln Ala Gly
                            40
Cys Ser Gly Val Ala Val Thr Arg Phe Gly Ser Ser Ala Arg Ala Cys
                        55
Asn Pro Phe Gly Trp Lys Ser Ile Phe Ile Gln Cys
                    70
<210> 19
<211> 76
<212> PRT
<213> Artificial Sequence
<220>
<223> Mi54K variant. Variant MiAMP1 protein Mi54K
      containing a Lysine at amino acid 54 (used primer
      from SEQ ID NO:12 to produce).
Ser Ala Phe Thr Val Trp Ser Gly Pro Gly Cys Asn Asn Arg Ala Glu
```

```
5
                                    10
Arg Tyr Ser Lys Cys Gly Cys Ser Ala Ile His Gln Lys Gly Gly Tyr
           20
                                25
Asp Phe Ser Tyr Thr Gly Gln Thr Ala Ala Leu Tyr Asn Gln Ala Gly
                            40
Cys Ser Gly Val Ala Lys Thr Arg Phe Gly Ser Ser Ala Arg Ala Cys
Asn Pro Phe Gly Trp Lys Ser Ile Phe Ile Gln Cys
                    70
<210> 20
<211> 76
<212> PRT
<213> Artificial Sequence
<220>
<223> Mi46K/54V variant. Variant MiAMP1 protein
     Mi46K/54V containing a Lysine at amino acid 46 and
      a Valine at amino acid 54.
<400> 20
Ser Ala Phe Thr Val Trp Ser Gly Pro Gly Cys Asn Asn Arg Ala Glu
                                    10
Arg Tyr Ser Lys Cys Gly Cys Ser Ala Ile His Gln Lys Gly Gly Tyr
                                25
Asp Phe Ser Tyr Thr Gly Gln Thr Ala Ala Leu Tyr Asn Lys Ala Gly
                            40
Cys Ser Gly Val Ala Val Thr Arg Phe Gly Ser Ser Ala Arg Ala Cys
                        55
Asn Pro Phe Gly Trp Lys Ser Ile Phe Ile Gln Cys
                    70
<210> 21
<211> 76
<212> PRT
<213> Artificial Sequence
<220>
<223> Mi46K/54K variant. Variant MiAMP1 protein
     Mi46K/54K containing a Lysine at amino acid 46 and
     a Lysine at amino acid 54.
<400> 21
Ser Ala Phe Thr Val Trp Ser Gly Pro Gly Cys Asn Asn Arg Ala Glu
                                    10
Arg Tyr Ser Lys Cys Gly Cys Ser Ala Ile His Gln Lys Gly Gly Tyr
Asp Phe Ser Tyr Thr Gly Gln Thr Ala Ala Leu Tyr Asn Lys Ala Gly
Cys Ser Gly Val Ala Lys Thr Arg Phe Gly Ser Ser Ala Arg Ala Cys
                        55
Asn Pro Phe Gly Trp Lys Ser Ile Phe Ile Gln Cys
                    70
```